



TACTICAL MARINE VEST



Hard Shell



OVERVIEW

The Flotation vest model offers a tactical ballistic protection solution for users working on or around the water. It was designed keeping in mind the maritime security personnel or naval users, who require maximum protection with the flexibility of a standard tactical vest. Utilizing the custom cut soft armour, providing front, back and side protection; the flotation vest also has a detachable flotation collar with manual and automatic inflation. The flotation vest will provide the water based operator peace of mind while operating on vessels in hostile waters. the flotation vest has advanced passive floating foam in corporate with vest.



Hard Shell

OPTIONAL ACCESSORIES

BP Vest bag/carrier
Hard Armor Panel

FEATURES

Custom cut NIJ 0101.06 Level IIIA soft armour.
Comfortable Padding Front / Back and Shoulders
Allowance for 10" by 12" Hard Armour Panels of Level III, Level III+ & Level IV. (fitted is HAP Pockets)
Allowance for SAP Material inserts to be used in conjunction with (ICW) hard armour plates
Air Mesh for improved airflow around the body of the wearer
Front to back wrap around ballistic protection

Adjustable side closure design

4 size adjustment straps

Externally and Internally adjustable waist bands to secure the vest to the wearer

SPECIFICATION FOR FLOATATION DEVICE

Inflation time ≤ 5 secs
Floatation Duration ≥ 24 hours
Buoyancy ≥ 306 N
Buoyancy loss after 24 hours $\leq 5\%$
CO2 cylinder
Temperature for use : -30°C to $+65^{\circ}\text{C}$



Hard Shell

OUTER GARMENT

Outer fabric is high quality 1000 D nylon fabric
Inner fabric is heavy duty polyester open mesh
Design facilitates immediate water drainage
Endures harsh marine environment
Wear resistant polyester filament webbing
High strength nylon bonded sewing thread
YKK® Quick Burst® zipper for instant inflation

PROTECTION LEVEL

Soft armour panel protects against 9 mm Projectile as per NIJ Level IIIA.



VEST WEIGHT

The total weight (kg) of a Vest including Soft Armor and Floatation Device is: -

SIZE	M	L	XL
IIIA 9mm	4.5	4.8	5.5

Note: There is tolerance of +/- 5 % on all measurements and weight.

PERFORMANCE

- Washable outer cover
- Transfer soft armour protection from one carrier to another

WARRANTY

- 5 years performance warranty on soft armour panel
 - 1 year performance warranty on Outer Carrier
 - 1 year for the floatation device
- (Subject to usage conditions)

